

2021 Sustainability Report

Stock Code: 00002





Overview

Caring for people is one of the core components of CLP's Value Framework. The continued health and safety of all parties is always a top priority for the Group.

While stakeholder expectations continually evolve, safety is fundamental; employees, contractors, customers and the communities in which CLP operates rightly expect to be free from harm while on or near CLP premises.

Health and safety is even more pertinent in today's pandemic reality. Social distancing, temperature monitoring and enhanced hygiene measures are the new normal. Equally important is mental health and wellbeing as many individuals continue to struggle with work-from-home or other COVID-19 pandemic-related restrictions.

As expected, safety and well-being continues to be a material topic for all CLP stakeholders, with a special focus on

employees and contractors. The nature of the business potentially exposes individuals to high-risk activities. CLP is responsible for reducing risk by enacting appropriate safety measures or deploying technological solutions. CLP continually monitors the disclosure of metrics relating to customer safety and safety in nuclear plants where it has a non-majority stake.

Key stakeholders

· Customers, Communities, Employees, Suppliers

Related material topics

- Aligning business activities with community, employee and customer expectations
- · Promoting workplace safety and wellbeing

Health, Safety, and Environment management

Management approach

Integrating Health, Safety and Environment (HSE) standards across the Group's businesses and processes helps achieve the goal of safe, secure and environmentallyresponsible operations.

GRI reference: 403-1, 403-2

CLP's commitment to continually improving its HSE performance for the benefit of its employees, contractors, customers and the public, remains steadfast. This covers the construction of new projects, operations and decommissioning.

With the establishment of its independent Group Security function in May 2021, CLP removed physical security from the scope of its Health, Safety, Security and Environment (HSSE) Policy, and rolled out a new integrated HSE Policy. The HSE Policy sets out the high-level expectations driving the direction of the HSE Management System (HSEMS), which the Group is currently refreshing.

HSEMS core components and relationship



The diagram above shows the core components of the Group's HSEMS and their inter-relationships.

Ħ	Welcome		About this Report		Materiality Assessment		Standard ESG disclosures			
Corporat governa	te nce	Safety	Environment and climate change	Asset manage	ement	Supply chain	Community	People	Customers	Key performance metrics

The HSEMS helps implement CLP's commitment to continually improving HSE performance and the requirements of the Group's new HSE Policy. It is supported by a suite of standards with mandatory requirements, methodologies and other supporting tools.

The refresh of the HSEMS aims to:

- Establish a risk-based HSEMS to meet the objectives set out in the HSE Policy;
- Further improve clarification of mandatory requirements within the CLP HSEMS Standards;
- Enable the Group's regional organisations to incorporate HSEMS Standards into their business programme; and
- Promote and encourage conformity to internationally accepted standards for occupational health and safety (ISO 45001) and environmental management (ISO 14001).

The transition to the refreshed system is progressing, and focuses on developing four areas of the existing HSEMS:

- · Leadership and commitment;
- · Planning and support;

- · Operational enablers; and
- Monitoring, learning and improving.

Download the HSSE Management System Standard 🛛 🗹

Download an overview of the safety and environmental management systems of CLP's assets $_$ $_$

Hierarchy of operational responsibilities

Strategies and procedures

To support safe operations, CLP has in place a Health, Safety and Environment Improvement Strategy (HSE Improvement Strategy). It has clear objectives, focus areas and timelines, and sufficient resources to achieve its objectives, including HSE professionals and an appropriate budget.

Following the five pillars of the Group's HSE Improvement Strategy, an annual improvement programme is developed, approved and communicated to staff and contractors in each business unit. Recommendations are implemented on agreed timelines and programme process is monitored regularly. Read more in Occupational health and safety below.

Operational responsibilities

The Group HSSE Committee, chaired by the CEO, has the highest executive responsibility on HSSE-related issues. The Group Operations Leadership Team and the Global HSE Team conduct monthly meetings to coordinate, monitor and share knowledge and experience in HSE practices across the Group. Special focus is given to achieving an overall higher level of safety performance.

In addition, various HSE committees have been established to engage employees at the operational level. These committees also involve project partners and contractors. HSE professionals facilitate the overall engagement effort and advise on HSE matters, while the responsibility for implementing high levels of HSE standards rests with line management.

	Group HSSE Committee	 Chaired by the CEO Has the highest executive responsibility on HSSE-related issues
	Group Operations Leadership Team and Global HSE Team	 Meet monthly to coordinate, monitor and share knowledge and experience Focus on achieving an overall higher level of safety performance
1		
	Operational level HSE committees (employees, project partners and contractors)	 Engage internal and external stakeholders at operational level Line management to implement high level HSE standards HSE professionals to facilitate the overall engagement effort and advise on HSE matters

Ħ	Welcom	ie	About this Report		Materiality Assessment		Standard ESG disclosures			
Corporat governa	ie nce	Safety	Environment and climate change	Environment and Asset climate change manage		Supply chain	Community	People	Customers	Key performance metrics

Occupational health and safety

Management approach

Using the Group-wide Health, Safety and Environment (HSE) Improvement Strategy as its base, each business unit annually develops its own HSE action plan for delivery.

GRI reference: 403-1, 403-2, 403-3, 403-5, 403-7, 403-8

The CLP Group's HSE Improvement Strategy in 2021 was based on five pillars, they are:

- · Uplifting the safety culture;
- · Rethinking risk;
- Involving stakeholders;
- · Maintaining a healthy and engaged workforce; and
- · Ensuring environmental sustainability.

Each pillar emphasises a key principle for effective HSE management. The pillars aim to uplift the Group's safety culture across all operating regions, promote more proactive risk management, and engage employees, contractors and other key stakeholders in collectively implementing changes to improve safety performance.

Goals and targets

CLP is committed to ensuring all its activities and operations focus on the elimination of fatalities, life-changing injuries, and the occurrence of significant HSE events.

Monitoring and follow-up

The CLP Safety Performance Monitoring and Reporting Standard sets out the safety performance indicators and requirements of safety data reporting. The indicators show trends and can help identify areas which may require more attention to prevent an incident from occurring. CLP has used targeted engagements and worker insights to aide in the development of more comprehensive and effective incident prevention interventions.

Safety performance is reported internally on a monthly basis. Safety performance data and associated insights gained are collected and presented in the monthly meetings between the Group Operations Leadership Team and the Global HSE Team. The data and insights are also reported on a quarterly basis to the Group HSSE Committee, chaired by the Chief Executive Officer.

CLP's Incident Management Standard sets out the minimum requirements for the implementation and maintenance of a safety incident management system across the Group. In the event of a major incident, the CLP Group Incident Investigation Panel (IIP) and Investigation Report Format Standard are followed. The IIP, chaired by senior members of staff from outside the business unit in which the accident occurred, conducts a thorough investigation. The IIP's reports are critically reviewed by the Group Chief Operating Officer and the regional Managing Director. The intention is to identify the factors contributing to the incident and the actions required to prevent a recurrence.

Training and awareness

Personnel will only be asked to do work in areas in which they are deemed capable and competent to perform their roles. This requires the careful selection, placement, training, ongoing competency assessment and authorisation of employees, with third-party independent assessment where appropriate. A system is in place to identify and deliver the training necessary to ensure an individual's competence and knowledge in understanding the hazards, risks and control measures associated with their work.

At the asset level, there is flexibility to structure health and safety measures and design more specific approaches in providing relevant training. This includes monitoring the percentage of contractors who have undertaken this training. Safety training requirements are in all contracts and all contractors are expected to undergo safety training relevant to their duties. Spot checks are conducted to ensure compliance.

Continuous improvement

Thorough investigations are conducted into all incidents that have the potential to cause serious injuries. The aim is to move beyond simply looking at human error as a cause, and to understand the more complex latent conditions that contribute to incidents. CLP is committed to understanding how decisions and actions would be made by employees at a particular point in time in their work. CLP is also committed to learning from those closest to the work, to understand their challenges and identify practical improvement opportunities.

CLP is committed to ongoing efforts to find new and better ways of working by learning from investigations into incidents, as well as adopting best practices. For instance, in 2020, the Group conducted a significant overview of its operations involving underwater diving, with the express goal of reducing such activities where possible. Major progress has been made through both adopting technology and redesigning systems and equipment to reduce underwater diving. Increased use of Remote Operated Vehicles for cooling water system inspection and remote dredging equipment for cooling water system cleaning has helped to reduce both the hours and frequency of manned diving work required.

Ħ	Welcon	ne	About this Report		Materiality Assessment		Standard ESG disclosures			
Corpo gover	rate nance	Safety	Environment and climate change	Asset manag	ement	Supply chain	Community	People	Customers	Key performance metrics

Another example was the recent introduction of Human and Organisational Performance pilot programmes in some business units, providing its people with core skills to support their teams in learning and driving performance improvement. A central component of this capability lift is the formation of operational Learning Teams who actively seek to understand and solve issues faced by those working on the frontline.

Read the 2020 case study on how robots help to eliminate diving risks

Year in review

The Group is pleased to report that there were no fatalities in 2021. This is the second year in a row in which the Group has been fatality-free for both employees and contractors. There was also a significant reduction in injuries on major projects.

SASB reference: IF-EU-320a.1; GRI reference: 403-4, 403-5, 403-6, 403-9, 403-10, EU17, EU18

Regional safety performance (employees/contractors)

	CLP Holdings	Hong Kong	Mainland China	Australia	India	Total	Employees and contractors combined
Fatalities (number)	0/0	0/0	0/0	0/0	0/0	0/0	0
Fatality rate (number per 200,000 work hours)	0.00/0.00	0.00/0.00	0.00/0.00	0.00/0.00	0.00/0.00	0.00/0.00	0.00
Days away from work injuries (number of personnel)	0/0	0/4	0/0	4/5	0/1	4/10	14
Lost time injury rate (number per 200,000 work hours)	0.00/0.00	0.00/0.07	0.00/0.00	0.18/0.40	0.00/0.03	0.05/0.08	0.07
High-consequence injuries (number of personnel)	0/0	0/0	0/0	0/0	0/1	0/1	1
Total recordable injury rate (number per 200,000 work hours)	0.13/0.22	0.02/0.14	0.00/0.08	0.45/0.97	0.00/0.41	0.14/0.29	0.23
Work-related ill health (number of personnel) – employees only	0	0	0	1	0	1	1
Lost days (number) – employees only	0	0	19	285	0	304	304

metrics when comparing the Group's 2021 performance against 2020. This is summarised in the table below.

There was an observable improvement in several key safety

Ħ	Welcome		About this Report		ateriality Assessment	Standard ESG disclosures					
Corporat governa	te nce	Safety	Environment and climate change	Asset managemer	Supply chain	Community	People	Customers	Key performance metrics		

Lost time injury rate and total recordable injury rate of CLP Group (employees and contractors combined)



Lost time injury rate (LTIR) by region (employees and contractors combined)



1 Starting from 2019, CLPe Solutions is reported under CLP Holdings to align with a change in internal reporting. Before that, it was reported under Hong Kong.

Ħ	Welcom	ie	About this Report	Mate	riality Assessment	Standard ESG disclosures				
Corpora governa	te nce	Safety	Environment and climate change	Asset management	Supply chain	Community	People	Customers	Key performance metrics	

Total recordable injury rate (TRIR) by region (employees and contractors combined)



1 Starting from 2019, CLPe Solutions is reported under CLP Holdings to align with a change in internal reporting. Before that, it was reported under Hong Kong.

Improving HSE management

During 2021, CLP businesses implemented the necessary changes set out by the 2021 HSE Improvement Strategy. The HSE Improvement Plan was assessed and refreshed for the next three-year period (2022-24), with an emphasis on becoming a learning organisation. The five pillars of the HSE

Improvement Strategy remain critical to its continuity and ongoing approach. They address the emerging needs of the business moving forward.

This year's health and safety activities against each pillar are summarised below. Information on the environmental sustainability pillar is included in the Environment section.

Uplifting the Safety Culture	 At the Group level, Human and Organisational Performance & Learning Team training pilot programmes commenced in some of CLP's business units, providing staff with core skills to support their teams in learning and driving performance improvement. Central to the success of this programme is the formation of operational Learning Teams who will actively seek to understand and solve issues faced by those working on the frontline.
	 EnergyAustralia continued to implement a new science-based safety programme called "Advanced Error Reduction in Organisations (AERO)". AERO provides tools to help employees understand their personality tendencies, so that they can more easily recognise and manage error traps associated with certain tasks. New Manual Handling programmes were initiated at Mount Piper and Yallourn.
	 In Mainland China, Fangchenggang introduced a Safety Culture Transformation Team to uplift its safety culture and work safety through initiating a series of safety improvement programs and activities titled, "I want to be safe; I can be safe; I will be safe; Build safety together".

Ħ	Welcome		About this Report		Materiality Assessment		Standard ESG disclosures					
Corporat governa	te nce	Safety	Environment and climate change	Asset manager	ment	Supply chain	Community	People	Customers	Key performance metrics		

Rethinking Risk	 Safety in Design (SiD) training, developed specifically for CLP operations and project lifecycles, commenced across the Group. Expert external facilitators upskilled selected CLP personnel with foundational best practice knowledge, in a context that supports the business. Australia's first net-zero emissions hydrogen and gas capable power plant project, Tallawarra B, was contracted and designed under SiD principles. Additionally, a series of design review workshops for megaprojects in Hong Kong utilised SiD principles. A bowtie risk assessment is a risk evaluation method used to demonstrate causal relationships for high-risk scenarios in a visual way, clearly articulating plausible accident scenarios that could exist. A significant number of bowtie risk assessments were conducted across the regions.
Involving Stakeholders	 Involving stakeholders is a top priority of CLP's multi-disciplinary team. Many contributors make or influence decisions that have the potential to impact workers' safety. It is important that the interests of stakeholders are understood, and proper consultation and engagement processes are established to ensure their interests are consistent with the highest standards of safety. Work will continue to focus on establishing Human & Organisational Performance capabilities within CLP, allowing clearer visibility on work performed while leveraging frontline knowledge to find solutions. In Hong Kong, the team conducted a series of Safety Alignment Workshops for new contracts to align safety values and solicit safety leadership commitment from contractor partners. EnergyAustralia formalised an in house and online ergonomics tool called 'Swivel'. It is specifically designed to ensure workstations (office and home-based) are ergonomically sound. In 2021, over 1,700 Swivel assessments were completed.
Maintaining a Healthy and Engaged Workforce	 2021 continued to be challenging with the ongoing COVID-19 pandemic across the globe. Employee health and wellness was promoted through flexible working arrangements, equipment setups for remote working, regular communications, as well as health and wellbeing initiatives targeting mental and physical health awareness. Each region responded comprehensively in supporting their employees, particularly in respect to mental health and ergonomics. As such the internal CEO HSE Awards recognised all regions as winners for their committed and ongoing approach to employee health and well-being. This year, CLP launched its new online Health and Wellness portal, Virgin Pulse. The portal provides additional capacity to deliver targeted work-related health programmes and support other wellbeing efforts. By using the portal, employees can choose the personal wellness journey that suits them, engage with their fellow colleagues in a series of challenges and evaluate their own health risk factors. The Employee Assistance Programme in Mainland China supported staff and their families through multiple channels including a consultation hotline, monthly health newsletters and quarterly thematic workshops. At EnergyAustralia, the Employee Assistance Programme had very strong utilisation rates (>12% when annualised, above the industry average) in 2021. Virgin Pulse was also launched in Australia. To assist with the challenges of working from home with children, EnergyAustralia hosted online sessions for children and parents. These have included themes such as story time, clowns, magicians, comedians and how to get the most from home schooling. Focus on the health and wellbeing of employees continued through the EnergyAustralia "Spark" programme. Find out how CLP supports its people during the COVID-19 pandemic from the Human Capital section in the 2021 Annual Report.

Ħ	Welcom	ie	About this Report		Materiality Assessment		Standard ESG disclos	ures			
Corporat governar	ie nce	Safety	Environment and climate change	Asset manag	ement	Supply chain	Communit	Σy	People	Customers	Key performance metrics

CASE STUDY

Bringing flexibility and applying ingenuity to safety training

In early 2021, CLP Power launched Hong Kong's first multi-purpose Mobile Safety Training Workshop as part of its continuous efforts to promote a world-class safety culture for the Company and energy industry.

Traditionally, safety training for frontline engineering personnel is conducted in a classroom environment. The new, first-of-its-kind workshop provides the space and facilities for the hands-on practice of critical safety skills and procedures. Frontline workers were engaged in developing this industry-first workshop.

Equipped with a variety of safety training equipment, the workshop can use lighting and environmental effects to replicate actual site conditions such as confined spaces. The workshop is held in a mobile truck, allowing the flexibility of conducting the training at or close to the work site. Workers, such as those working in confined spaces or at height, can refresh their safety procedures and practices before carrying out the actual work.

More than 1,000 CLP Power engineering employees are qualified to work in confined spaces or work at height. While they are equipped with relevant professional training before they commence work, the new Mobile Safety Training Workshop enables regular state-of-the-art safety refresher training. The workshop initiative further raises CLP's high standards for safe workplace practices.



Demonstrating confined space rescue procedures using the Mobile Safety Training Workshop.



The Mobile Safety Training Workshop allows demonstration of confined space safety procedures in a controlled environment.



Safety around CLP's network

Management approach

Customer health and safety concerns are largely related to electromagnetic fields (EMF) arising from the CLP power system. Measurements of EMF remain well below international guidelines.

GRI reference: 416-1, 416-2

While the Group's HSE Management System Standard sets out an overarching approach to managing the safety risks in operations, responsibility is also taken for preserving public health and safety, including for people who work or live in close proximity to electricity supply lines.

CLP operates a transmission and distribution network in Hong Kong, as well as transmission networks in Shenzhen, China and Madhya Pradesh, India. Working near electricity supply lines can pose safety concerns. The Hong Kong and Mainland China operations conduct regular construction site inspections and provide cable plans and safety talks to road work contractors and site management personnel to enhance safety awareness at all locations. EMF arising from power systems can be of public health concerns. CLP's power supply equipment fully complies with the guidelines issued by the International Commission on Non-Ionizing Radiation Protection. Regular EMF measurements of power supply equipment are carried out jointly with the Electrical and Mechanical Services Department of the Hong Kong Government. The measured EMF levels continue to be well below the guideline limits.

Regarding customer health and safety, CLP Power has customer service centres conveniently located in its supply areas in Hong Kong to provide assistance on product safety, as well as advise on energy efficient products, energy saving tips and other account management issues. In 2021, there were no reportable cases of CLP products affecting customer health and safety in Hong Kong.



Maintaining proper Health, Safety and Environment management practices for transmission towers is important to keep the general public safe.



Nuclear safety

Management approach

CLP is the minority owner of two nuclear power stations in China. The power stations have adopted defence-indepth principles to ensure multiple independent layers of safety protection.

SASB reference: IF-EU-540a.2

Since 1985, CLP has held a 25% equity share in the Guangdong Daya Bay Nuclear Power Station (GNPS), which provides roughly one third of the electricity supplied to CLP's customers in Hong Kong. In 2017, CLP's nuclear portfolio was expanded with a 17% equity investment in Yangjiang Nuclear Power Co. Ltd. which operates Yangjiang Nuclear Power Station (YNPS) in Guangdong. Nuclear power has proven to be a reliable, cost-competitive and clean source of energy. To realise the Group's decarbonisation vision, CLP continuously seeks investment opportunities for new capacity in low-carbon energies, such as nuclear power.

Nuclear risk management

The safe and steady operation of the two nuclear power stations remains a top priority. The defence-in-depth principle of safety is applied across the full spectrum of areas - from design, site selection, operation, radiation protection, environmental monitoring, to emergency preparedness. The safety principle of "As Low As Reasonably Achievable" (ALARA) is also applied to ensure robust radiation protection.

The two nuclear power stations have achieved good safety performance over the years. This achievement is a result of:

- Adopting best international practices, including the International Atomic Energy Agency Nuclear Safety Standards, in its operations;
- · A well-trained and qualified workforce;
- · Well-established safety practices and procedures; and
- · Comprehensive risk analysis and mitigation.

 Find out more on nuclear energy
 Image: Comparison of C

Nuclear waste management

GNPS follows national policy and international practices for nuclear waste management. The station stores its spent nuclear fuel on-site in dedicated storage facilities. The back-end management of the fuel cycle remains on site for a number of years before being passed on to a service provider licensed by the Mainland Chinese Government for reprocessing. The service provider is supervised by the National Nuclear Safety Administration (NNSA) and its environmental impact is monitored by the Ministry of Ecology and Environment (MEE). The policy in Mainland China on reprocessing spent nuclear fuel is similar to that of a number of European countries.

As the minority owner of GNPS, CLP is not in a position to report on the back-end management of the fuel cycle in China, including the status of the reprocessing plants for spent fuel.

Low- to intermediate-level solid radioactive waste is packed and stored in a dedicated facility on-site on an interim basis, and is secured to prevent unauthorised access. The waste is transferred to a final repository operated by a service provider, using the shallow burial method commonly adopted in the United States, France and the United Kingdom. The operation of the off-site repository is under the supervision of the national nuclear regulator and relevant nuclear safety regulations.

Monitoring and follow-up

Radiation exposure for workers is closely monitored and managed by plant operators both collectively and at an individual level as part of operating protocols. Workers incur most of their radiation dosage during planned refuelling outages, when much of the work is undertaken at the nuclear generating units. The level of radiation dosage is typically associated with the number of planned outages carried out at the units, which require inspection and maintenance activities in radiation-controlled areas.

Training and awareness

An on-site training school provides professional training on operational procedures for nuclear sites. The training aims to enhance nuclear safety and systematically minimise human error. There is a once-every-two-years requalification mechanism to ensure operator professionalism and competency in plant operation.

In line with good business practice, GNPS has also provisioned for the expenses associated with the future decommissioning of the plant as required by relevant laws and regulations.

Ħ	Welcom	ne	About this Report		Materiality Assessment		Standard ESG disclosures			
Corpor govern	ate ance	Safety	Environment and climate change	Asset manage	ement	Supply chain	Community	People	Customers	Key performance metrics

Year in review

GNPS continued to operate smoothly in 2021. There was a Level "0" Licensing Operational Event which was below scale and with no safety significance in the year.

GRI reference: 306-3 (2016), 306-1, 306-2, 306-3

The average dose rate in 2021 was less than 0.4 mSv per person per year. For the purpose of comparison, the background radiation dose rate for Hong Kong is 2.4 mSv per person per year from the natural environment.

Collective radiation dosage for workers



The collective radiation dosage for the year was 642 man-mSv, lower than the 2020 level of 676 man-mSv when there was also one planned refuelling outage.



The charts below show the amount of spent nuclear fuel and low- to intermediate-level radioactive nuclear waste from GNPS over recent years. The amounts of both types of waste are related to the number of planned refuelling outages in each year.

One planned refuelling outage was carried out in GNPS in 2021, the same as in 2020. The total quantity of spent nuclear fuel generated in 2021 was similar to that of 2020.

Spent nuclear fuel



The amount of spent nuclear fuel in 2021 was at the expected level given the one planned refuelling outage.



Solid radioactive nuclear waste



There was a significant decrease in lowto intermediate-level nuclear waste in 2021, as compared with 2020, due to enhanced management.



#	Welcom	ie	About this Report		Materiali	ty Assessment	Standard ESG disclosure	25		
Corporat governa	te nce	Safety	Environment and climate change	Asset manage	ment	Supply chain	Community	People	Customers	Key performance

Safety data

Occupational health and safety

Group safety performance	2021	2020	2019	2018	2017
Employees ¹					
Fatalities (number of personnel) ^{2,3}	0	0	0	1	0
Fatality Rate (number per 200,000 work hours) ^{4,5}	0.00	0.00	0.00	0.01	0.00
Days Away From Work Injuries (number of personnel) ^{3,6}	4	12	7	11	11
Lost Time Injury Rate (number per 200,000 work hours) ^{s,7}	0.05	0.13	0.07	0.13	0.13
High-consequence Injuries (number of personnel) ⁸	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours) ^{5,9}	0.14	0.25	0.19	0.19	0.21
Work-related III Health (number of personnel) ^{3,10}	1	0	0	1	0
Lost Days (number of days) ¹¹	304 ¹²	44313	46414	249	252
Contractors ¹					
Fatalities (number of personnel) ^{2,3}	0	0	1	1	4
Fatality Rate (number per 200,000 work hours) ^{4,5}	0.00	0.00	0.01	0.01	0.03
Days Away From Work Injuries (number of personnel) ^{3,6}	10	10	19	11	16
Lost Time Injury Rate (number per 200,000 work hours) ^{s,7}	0.08	0.09	0.14	0.09	0.14
High-consequence Injuries (number of personnel) ⁸	1	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours) ^{5,9}	0.29	0.37	0.52	0.29	0.36
Employees and contractors combined ¹					
Fatalities (number of personnel) ^{2,3}	0	0	1	2	4
Fatality Rate (number per 200,000 work hours) ^{4,5}	0.00	0.00	0.00	0.01	0.02
Days Away From Work Injuries (number of personnel) ^{3,6}	14	22	26	22	27
Lost Time Injury Rate (number per 200,000 work hours) ^{s,7}	0.07	0.11	0.11	0.10	0.13
High-consequence Injuries (number of personnel) ⁸	1	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours) ^{5,9}	0.23	0.32	0.38	0.25	0.29

1 The system of rules applied in recording and reporting accident statistics complies with the International Labour Organization (ILO) Code of Practice on Recording and Notification of Occupational Accidents and Diseases.

2 Refers to the number of fatalities as a result of work-related injury.

3 Starting from 2021, the unit is changed from the number of cases to the number of personnel.

4 Refers to the number of fatal injuries per 200,000 work hours in the year.

5 Rates are normalised to 200,000 work hours, which approximately equals to the number of hours worked by 100 people in one year.

6 Starting from 2021, "Days Away From Work Injuries" replaces "Lost Time Injury". Days Away From Work Injuries refers to the number of personnel who sustains work-related injury and is unfit to perform any work on any day after the occurrence of the injury. "Any day" is any calendar day which includes rest days, weekend days, leave days, public holidays or days after ceasing employment. It does not include the day the injury incident occurred. "Days Away From Work Injuries" excludes fatalities which were included in "Lost Time Injury". Numbers prior to 2021 are the previously reported numbers for "Lost Time Injury".

7 Refers to the number of Days Away From Work Injuries and Fatalities per 200,000 work hours in the year.

8 Refers to the number of personnel who sustains life threatening or life-altering work-related injury. It is a subset of Days Away From Work Injuries

9 Refers to the number of Total Recordable Injuries per 200,000 work hours in the year. Total Recordable Injuries include Fatalities, Days Away From Work Injuries, Restricted Work Injuries, and Medical Treatment Injuries.

10 Starting from 2021, "Work-related III Health" replaces "Occupational Disease". Work-related III Health includes the diseases listed in the ILO List of Occupational Diseases, work-related mental illnesses and work-related disorders. Numbers prior to 2021 are the previously reported numbers for "Occupational Disease".

11 Starting from 2021, "Lost Days" replaces "Days Lost". "Lost Days" is the sum total of calendar days (consecutive or otherwise) after the days on which the work-related injuries and work-related ill health occurred. "Days Lost" accounts the working days instead of calendar days. Numbers prior to 2021 are the previously reported numbers for "Days Lost".

12 19 out of 304 days were carried forward from one incident in 2020.

13 188 out of 443 days were carried forward from one incident in the past.

14158 out of 464 days were carried forward from three incidents in the past.

Ħ	Welcom	ie	About this Report		Materiali	y Assessment	Standard ESG disclosures			
Corporat governar	ie nce	Safety	Environment and climate change	Asset manage	ement	Supply chain	Community	People	Customers	Key performance metrics

Regional safety performance	2021	2020	2019	2010	2017
CLP Holdings ²					
Employees					
Fatalities (number of personnel)	0	0	0	0	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
Days Away from Work Injuries (number of personnel)	0	0	0	0	0
Lost Time Injury Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.13	0.00	0.00	0.00	0.00
Work-related III Health (number of personnel)	0	0	0	0	0
Lost Days (number of days)	0	0	0	0	0
Contractors					
Fatalities (number of personnel)	0	0	1	0	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.24	0.00	0.00
Days Away from Work Injuries (number of personnel)	0	0	2	0	0
Lost Time Injury Rate (number per 200,000 work hours)	0.00	0.00	0.48	0.00	0.00
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.22	0.00	0.48	0.00	0.00
Hong Kong ²					
Employees					
Fatalities (number of personnel)	0	0	0	0	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
Days Away from Work Injuries (number of personnel)	0	4	4	5	1
Lost Time Injury Rate (number per 200,000 work hours)	0.00	0.09	0.09	0.10	0.02
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.02	0.21	0.19	0.15	0.08
Work-related III Health (number of personnel)	0	0	0	0	0
Lost Days (number of days)	0	119	246	120	47
Contractors					
Fatalities (number of personnel)	0	0	0	0	4
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.07
Days Away from Work Injuries (number of personnel)	4	5	15	5	9
Lost Time Injury Rate (number per 200,000 work hours)	0.07	0.10	0.21	0.08	0.16
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.14	0.30	0.51	0.20	0.29

2047

#	Welcom	ie	About this Report		Materialit	y Assessment	Standard ESG disclosures			
Corporat governar	ie nce	Safety	Environment and climate change	Asset manage	ement	Supply chain	Community	People	Customers	Key performance metrics

Regional safety performance	2021	2020	2019 ¹	2018	2017
Mainland China ²					
Employees					
Fatalities (number of personnel)	0	0	0	0	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
Days Away from Work Injuries (number of personnel)	0	2	0	0	0
Lost Time Injury Rate (number per 200,000 work hours)	0.00	0.19	0.00	0.00	0.00
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.00	0.19	0.10	0.00	0.00
Work-related III Health (number of personnel)	0	0	0	0	0
Lost Days (number of days)	19	59	0	0	0
Contractors					
Fatalities (number of personnel)	0	0	0	0	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
Days Away from Work Injuries (number of personnel)	0	1	0	0	0
Lost Time Injury Rate (number per 200,000 work hours)	0.00	0.10	0.00	0.00	0.00
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.08	0.49	0.00	0.07	0.06
Australia ²					
Employees					
Fatalities (number of personnel)	0	0	0	1	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.04	0.00
Days Away from Work Injuries (number of personnel)	4	6	3	6	10
Lost Time Injury Rate (number per 200,000 work hours)	0.18	0.25	0.10	0.26	0.43
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.45	0.46	0.31	0.44	0.60
Work-related III Health (number of personnel)	1	0	0	1	0
Lost Days (number of days)	285	265	218	129	205
Contractors					
Fatalities (number of personnel)	0	0	0	1	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.06	0.00
Days Away from Work Injuries (number of personnel)	5	2	2	4	6
Lost Time Injury Rate (number per 200,000 work hours)	0.40	0.11	0.12	0.26	0.62
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.97	0.44	0.62	1.09	1.85

#	Welcom	le	About this Report		Materiali	ty Assessment	Standard ESG disclosures			
Corporat governa	ie nce	Safety	Environment and climate change	Asset manage	ement	Supply chain	Community	People	Customers	Key performance metrics

Regional safety performance	2021	2020	2019 ¹	2018	2017
India ²					
Employees					
Fatalities (number of personnel)	0	0	0	0	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
Days Away from Work Injuries (number of personnel)	0	0	0	0	0
Lost Time Injury Rate (number per 200,000 work hours)	0.00	0.00	0.00	0	0.00
High-consequence Injuries (number of personnel)	0	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
Work-related III Health (number of personnel)	0	0	0	0	0
Lost Days (number of days)	0	0	0	0	0
Contractors					
Fatalities (number of personnel)	0	0	0	0	0
Fatality Rate (number per 200,000 work hours)	0.00	0.00	0.00	0.00	0.00
Days Away from Work Injuries (number of personnel)	1	2	0	2	1
Lost Time Injury Rate (number per 200,000 work hours)	0.03	0.07	0.00	0.06	0.03
High-consequence Injuries (number of personnel)	1	N/A	N/A	N/A	N/A
Total Recordable Injury Rate (number per 200,000 work hours)	0.41	0.46	0.68	0.19	0.20

Starting from 2019, CLPe Solutions has been reported under CLP Holdings to align with a change in internal reporting. Before that, it was reported under Hong Kong.
 The system of rules applied in recording and reporting accident statistics complies with the International Labour Organization (ILO) Code of Practice on Recording and Notification of Occupational Accidents and Diseases.

Nuclear safety	2021	2020	2019	2018	2017
Workers					
Collective radiation dosage for workers (man-mSv)	642	676	960	753	712
Nuclear-related waste					
Spent nuclear fuel (t)	33.1	37.7	75.2	37.6	39.7
Low- to intermediate-level radioactive nuclear waste (m ³)	26.0	71.0	89.4	79.0	89.2

2021 data shaded in orange has been independently verified by PricewaterhouseCoopers. The assurance scope of past years' data can be found in previous Sustainability Reports.



Environment and climate change

Overview

Reducing greenhouse gas (GHG) emissions by replacing thermal generation with clean energy infrastructure is the key means by which CLP will mitigate its impact on climate change.

Climate is not the sole benefactor. Replacing fossil fuel consumption offers other benefits, including the reduced use of resources such as water for cooling in thermal plants, fuel and associated fuel consumption in its extraction and transport. Production of other pollutants such as airborne particulate matter is also reduced. All bring immediate benefit to communities through reduced waste and better air quality.

Investment in clean electricity infrastructure also benefits the economy by helping establish new industries and decarbonisation opportunities in relation to biodiversity and land use. Stringent environmental management systems are already in place on CLP generation assets throughout the asset's life cycle, from environmental impact assessment before construction, emissions control during operations, to waste management and site rehabilitation when a plant is decommissioned. Effective management of these issues is embedded in CLP guidelines that dictate day-to-day operations and are fundamental to maintaining a licence to operate.

Key stakeholders

 Government and regulators, Communities, the Environment

Relevant material topics

- · Shaping and executing the transition to net-zero
- · Investing in clean electricity infrastructure

Environmental management

Management approach

CLP's Group-wide environmental management efforts align with the CLP Group Health, Safety and Environment Management System (HSEMS), which is driven by the new integrated Group HSE Policy.

GRI reference: 2-23

Strategies and procedures

The CLP Group HSEMS provides a framework used to identify and manage significant environmental issues arising from its operations. The HSEMS requires the environmental risks associated with a project's operational life cycle to be appropriately managed.

The environmental processes covered in the HSEMS include:

- · Environmental impact assessments;
- · Environmental monitoring;
- · Environmental Management System (EMS) development;
- · Environmental due diligence; and
- · Data management systems.

Learn more about CLP's HSEMS

These processes are key elements in support of the "Ensuring Environmental Sustainability" pillar of CLP Group's HSE Improvement Strategy for effective environmental management. The strategy aims to uplift environmental performance across all operations. Key initiatives and actions in 2021 are discussed in the following subsections.

As part of CLP's Pre-investment Environmental Risk Assessment, environmental due diligence is conducted at the project planning stage, followed by a more detailed environmental impact assessment (EIA) if needed. Assessments of key environmental impacts such as air quality and biodiversity are conducted at the EIA stage where applicable.

CLP takes great care in conducting all EIAs and has processes in place to fulfil the requirements and recommendations stipulated in EIA reports and local regulations. Planning procedures extend beyond compliance in countries where regulations are not as stringent. For instance, CLP mandates an EIA for all major generation projects in India, even though